POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS					
		Per					
Total 2003 Population 21,890	Community Options and MA Waiver	10,000					
	as HSRS reports costs for services	Staffing - FTE Number Population					
Population per square mile 25		Total staff 3.0 1.4					
County ranking in state (1-72) 57	Clients Costs	Administrative 1.0 0.5					
	COP 13 \$200,701  MA Wai ver *	Public health nurses 1.0 0.5					
Age         Female         Male         Total           0-14         1,530         1,710         3,230           15-19         620         690         1,310	MA Waiver *	Other prof. staff Techni cal /Paraprof Support staff 1.0 0.5					
0-14 1, 530 1, 710 3, 230	CI P1A 4 \$229, 822	Techni cal /Paraprof.					
15-19 620 690 1, 310	CI P1B 42 \$779, 500	Support staff 1.0 0.5					
20-24   420   470   890	CI P2 32 \$342, 849						
25-29 380 400 780	CI P1A 4 \$229, 822 CI P1B 42 \$779, 500 CI P2 32 \$342, 849 COP-W 113 \$584, 065	Fundi ng Per capi ta Total \$317, 984 \$14. 68 Local Taxes \$197, 477 \$9. 12					
30-34 510 500 1,000	CSLA 10 \$60, 448 Brain Injury 0 \$0 Total COP/Wvrs 214 \$1,996,685	10tal					
35-39 660 640 1, 300	Brain Injury 0 \$0	Local laxes \$197,477 \$9.12					
40-44 830 800 1,630	Total COP/Wvrs 214 \$1,996,685						
45-54 1,700 1,660 3,360	Φ7/ 170 of the character well-way conta	LI CENSED ESTABLI SHMENTS					
55-64 1,740 1,640 3,380	\$76, 179 of the above waiver costs	Tymo Composity Fooilition					
65-74 1, 390 1, 430 2, 820 75-84 900 760 1, 660	were paid as local match/overmatch	Type Capacity Facilities					
75-84 900 760 1,660 85+ 340 190 530	using COP funds. This amount is not included in above COP costs.	Bed & Breakrast // 22					
Total 11, 010 10, 880 21, 890	not included in above cop costs.						
10tai 11,010 10,000 21,090	* Wai ver costs reported here	Tourist Pooming 1 226 440					
Age Female Male Total	i ncl ude federal funding.	Type Capacity Facilities Bed & Breakfast 77 22 Camps 2,444 32 Hotels, Motels 4,414 300 Tourist Rooming 1,236 449 Pools 19					
0-17 1, 890 2, 120 4, 000	The due rederal runding.	Restaurants 283					
10 44 2 060 2 000 6 140	Clients Costs	Vending 1					
45-64 3, 440 3, 300 6, 740 65+ 2, 630 2, 380 5, 010	Fligible and	Vendring					
65+ 2,630 2,380 5,010	Waiting 112 n/a						
Total 11, 010 10, 880 21, 890	Eligible and Waiting 112 n/a						
10,000 21,070	(Family Care not provided in county)	WIC PARTICIPANTS					
Poverty Estimates for 2000	(raining sairs not provided in sourcy)	1110 1711111011					
Festimato (C I , / )		Number					
All ages 1, 683 122 8. 0% (7%) Ages 0-17 514 55 11. 8% (11%)	Note: Eligible and waiting clients	Pregnant/Postpartum 197					
8.0% (7%)	will be phased into the COP and MA	Infants 200					
Ages 0-17 514 55	Wai vers as available.	Children, age 1-4 330					
11. 8% (11%)		Total 727					
, ,							
EMPLOYMENT		CANCER INCIDENCE (2002)					
Average wage for jobs covered	Home Heal th Agencies 0	Primary Site					
by unemployment compensation \$23,289	Patients 346	Breast 22					
(place of work)	Patients per 10,000 pop. 158	Cervi cal 0					
Annual		Col orectal 16					
Labor Force Estimates Average	Nursing Homes 1	Lung and Bronchus 25					
	Li censed beds 79	Prostate 24					
Civilian Labor Force 11,720	Occupancy rate 83.0%	Other sites 63					
Number employed 10,936	Residents on Dec. 31 72	Total 150					
Civilian Labor Force 11,720 Number employed 10,936 Number unemployed 784 Unemployment rate 6.7%	Nursing Homes 1 Licensed beds 79 Occupancy rate 83.0% Residents on Dec. 31 72 Residents age 65 or older						
Unemployment rate 6.7%	per 1,000 population 14	Note: Totals shown are for					
		i nvasi ve cancers only.					

			NATA	JITY				
TOTAL LIVE BIRTHS		186	Birth Order	Births	Percent	Marital Status		
TOTAL LIVE BIKING		100	First	67	36	of Mother	Bi rths	Percent
Crude Live Birth Rate		8. 5	Second	57	31	Marri ed	122	66
General Fertility Rat		54. 5	Thi rd	31	17	Not married	64	34
deficial relitivity Rat	C	54. 5	Fourth or higher	31	17	Unknown	04	0
Live hirths with rone	rtod		Unknown	0	0	OTIKTIOWIT	U	U
Live births with repo congenital anomalies	n teu	1 0.5%	UTIKITOWIT	U	U	Educati on		
Congenital anomaires		1 0.5%				of Mother	Bi rths	Percent
Dolivery Tyres	D: mtho	Domoont	1at Dwamatal Vicit	D: m+ha	Donoont			
Delivery Type	BITTIS	Percent	1st Prenatal Visit		Percent	Elementary or le	ss 0	0
Vagi nal after	4	2	1st trimester	153	82	Some high school	23	12
previous cesarean	4	2	2nd trimester	23 7	12	High school	58	31
Forceps	2	1	3rd trimester	/	4	Some college	54	29
Other vagi nal	136 26	/3	No vi si ts	1	1	College graduate	51	27
Primary česarean	26	14	Unknown	2	1	Unknown	0	0
Repeat cesarean	18	10						
			Prenatal Visits		Percent	Smoking Status		
Birthweight	Bi rths	Percent	No visits	1	1	of Mother	Bi rths	Percent
<1,500 gm	2	1. 1	1-4	10	5	Smoker	47	25
1,500-2,499 gm	10	5. 4	5-9	28	15	Nonsmoker	139	75
2,500+ gm	174	93. 5	10-12	74	40	Unknown	0	0
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	0	0	13+	72	39			
			Unknown	1	1			
			Low Birthweight		Tri mest	er of First Prenata		
			(under 2.500 am)	_1st_Tr	imester	2nd Trimester	Other/	'Unknown
Race/Ethni ci ty	Births P	ercent	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
Race/Ethni ci ty Whi te	Births P	ercent 72	(under 2,500 gm) Births Percent 5 3.8	Bi rths 124	imester	2nd Trimester Births Percent 7 5	Other/ Bi rths 2	
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can	Births P	ercent 72 1	(under 2,500 gm) Births Percent 5 3.8 *	Bi rths 124 *	imester Percent 93	2nd Trimester Births Percent 7 5 * .	Other/ Bi rths	Percent 2
Race/Ethnicity White Black/Afr. American American Indian	Births P 133 1 48	ercent 72 1 26	(under 2,500 gm) Births Percent 5 3.8	Bi rths 124	imester Percent	2nd Trimester Births Percent 7 5	Other/ Bi rths 2	Percent
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no	Births P 133 1 48 1	ercent 72 1 26 1	(under 2,500 gm) Births Percent 5 3.8 *	Bi rths 124 *	imester Percent 93	2nd Trimester Births Percent 7 5 * .	Other/ Bi rths 2	Percent 2
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong	Bi rths P 133 1 48 1 0	ercent 72 1 26 1 0	(under 2,500 gm) Births Percent 5 3.8 * . 6 12.5 * .	Bi rths 124 * 26 *	imester Percent 93	2nd Trimester Births Percent 7 5 * .	Other/ Bi rths 2	Percent 2
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	Bi rths P 133 1 48 1 0 3	ercent 72 1 26 1 0 2	(under 2,500 gm) Births Percent 5 3.8 *	Bi rths 124 *	imester Percent 93	2nd Trimester Births Percent 7 5 * .	Other/ Bi rths 2	Percent 2
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	Bi rths P 133 1 48 1 0 3	ercent 72 1 26 1 0 2	(under 2,500 gm) Births Percent 5 3.8 * . 6 12.5 *	Bi rths 124 * 26 *	i mester Percent 93 54	2nd Trimester Births Percent 7 5 * . 15 31 *	0ther/ Bi rths 2 * 7 *	Percent 2
Race/Ethni ci ty Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown			(under 2,500 gm) Births Percent 5 3.8 * 6 12.5 *	Bi rths 124 * 26 *	i mester Percent 93 54	2nd Trimester Births Percent 7 5 *	Other/ Births 2 * 7 *	Percent 2
	Fe	rtility	(under 2,500 gm) Births Percent 5 3.8 * 6 12.5 *	Bi rths 124 * 26 * 	i mester Percent 93 . 54 Tri mest	2nd Trimester Births Percent 7 5 *	Other/Births 2 * 7 * I Visit Other/	Percent 2
Age of Mother	Fe Births	rtility Rate	(under 2,500 gm) Births Percent 5 3.8 * 6 12.5 *	Bi rths 124 * 26 * 	i mester Percent 93 54	2nd Trimester Births Percent 7 5 *	Other/Births 2 * 7 * I Visit Other/	Percent 2
Age of Mother	Fe Births 0	rtility Rate 	(under 2,500 gm) Births Percent 5 3.8 * 6 12.5 *	Bi rths 124  26	i mester Percent 93 . 54	2nd Trimester Births Percent 7 5 * 15 31 * * * * * * * * * * * * * * * * * * *	Other/ Bi rths 2 * 7 * I Vi si t Other/ Bi rths	Percent 2 . 15
Age of Mother <15 15-17	Fe Births 0 5	rtility Rate  14	(under 2,500 gm) Births Percent 5 3.8 * 6 12.5 * * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 124  * 26  * 1st Tr Bi rths . 3	i mester Percent 93 . 54	2nd Trimester Births Percent 7 5 * 15 31 *  ter of First Prenata 2nd Trimester Births Percent 1 20	Other/ Births 2 * 7 * ! Uisit Other/ Births	Percent 2 . 15
Age of Mother <15 15-17 18-19	Fe Bi rths 0 5 17	rtility Rate  14 65	(under 2,500 gm) Births Percent 5 3.8 * 6 12.5 *	Bi rths 124 * 26 *  1st Tr Bi rths	i mester Percent 93 . 54	2nd Trimester Births Percent 7 5 * 15 31 * * ter of First Prenata 2nd Trimester Births Percent 1 20 4 24	Other/Births 2 * 7 * I Visit Other/Births 1	Percent 2 . 15
Age of Mother <15 15-17 18-19 20-24	Fe Births 0 5 17 36	rtility Rate  14 65 85	(under 2,500 gm) Births Percent 5 3.8 * 6 12.5 *	Bi rths 124 * 26 *  1st Tr Bi rths	i mester Percent 93 . 54	2nd Trimester Births Percent 7 5 * 15 31 * * ter of First Prenata 2nd Trimester Births Percent 1 20 4 24	Other/Births 2 * 7 * I Visit Other/Births 1	Percent 2 . 15
Age of Mother <15 15-17 18-19 20-24 25-29	Fe Bi rths 0 5 17 36 51	rtility Rate  14 65 85 136	(under 2,500 gm) Births Percent 5 3.8 * 6 12.5 * * Low Birthweight (under 2,500 gm) Births Percent 2 11.8 6 11.8	Bi rths 124 * 26 *  1st Tr Bi rths	i mester Percent 93 . 54	2nd Trimester Births Percent 7 5 * 15 31 *	Other/Births 2 * 7 * I Visit Other/Births 1	Percent 2 . 15
Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Fe Bi rths 0 5 17 36 51 44	rtility Rate  14 65 85 136 87	(under 2,500 gm) Births Percent 5 3.8 * 6 12.5 *	Bi rths 124 * 26 *  1st Tr Bi rths	i mester Percent 93 . 54	2nd Trimester Births Percent 7 5 * 15 31 * * ter of First Prenata 2nd Trimester Births Percent 1 20 4 24	Other/Births 2 * 7 * I Visit Other/Births 1 2 3	Percent 2 . 15
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Bi rths 0 5 17 36 51 44 27	rtility Rate  14 65 85 136 87 41	(under 2,500 gm) Births Percent 5 3.8 * 6 12.5 *	Bi rths 124 * 26 *  1st Tr Bi rths	i mester Percent 93 . 54	2nd Trimester Births Percent 7 5 * 15 31 *	Other/Births 2 * 7 * I Visit Other/Births 1 2 3 2	Percent 2 . 15
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Bi rths 0 5 17 36 51 44 27 6	rtility Rate  14 65 85 136 87	(under 2,500 gm) Births Percent 5 3.8 * 6 12.5 * * Low Birthweight (under 2,500 gm) Births Percent 2 11.8 6 11.8	Bi rths 124 * 26 *  1st Tr Bi rths	i mester Percent 93 . 54	2nd Trimester Births Percent 7 5 * 15 31 *	Other/Births 2 * 7 * I Visit Other/Births 1 2 3	Percent 2 . 15
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Bi rths 0 5 17 36 51 44 27	rtility Rate  14 65 85 136 87 41	(under 2,500 gm) Births Percent 5 3.8 * 6 12.5 *	Bi rths 124 * 26 *  1st Tr Bi rths	i mester Percent 93 . 54	2nd Trimester Births Percent 7 5 * 15 31 *	Other/Births 2 * 7 * I Visit Other/Births 1 2 3 2	Percent 2 . 15
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Bi rths 0 5 17 36 51 44 27 6	rtility Rate  14 65 85 136 87 41	(under 2,500 gm) Births Percent 5 3.8 * 6 12.5 * Low Birthweight (under 2,500 gm) Births Percent 2 11.8 6 11.8 6 11.8 1 16.7 .	Bi rths 124 * 26 * .*  1st Tr Bi rths 3 12 25 43 40 25 5	i mester Percent 93 . 54	2nd Trimester Births Percent 7 5 * 15 31 *	Other/Births 2 * 7 * I Visit Other/Births . 1 2 3 . 2 1 .	Percent 2

MORBI DI TY			MO	RTALLTY	
REPORTED CASES OF SELECTED DI SEASES*	Note: Death rates ( neonatal, and Perinatal and	except ir postneor fetal de	nfant) are natal death eath rates	per 100,000 population. rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2	Infant, e births. s plus
Di sease Campyl obacter Enteritis Gi ardi asi s Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnai re's Lyme Seasl es Meni ngi tis, Aseptic Meni ngi tis, Bacterial Mumps Pertussi s Sal monel losi s Shi gel losi s Tubercul osi s	TOTAL DEATHS Crude Death Ra  Age 1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84 85+	Deaths	Rate	Selected Underlying Cause Heart Disease (total) Ischemic heart disease Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Disease Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle Diabetes Infect./Parasitic Dis. Suicide	e 48 219 56 256 12 . 2 . 5 .* e 21 96 14 . 3 . 9 .
* 2003 provisional data.  ** Includes all positive HBsAg test results.	Infant Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 1 1		* Based on female popu ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAU	lation.
Sexually Transmitted Disease Chlamydia Trachomatis 23 Genital Herpes 6 Gonorrhea <5 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	1	: : : :	Al cohol Other Drugs Both Mentioned * Includes tobacco use	e (see page 7). E CRASHES
Children in Grades K-12 by Compliance Level Compliant 3,152 Non-compliant 41 Percent Compliant 98.7	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown  Perinatal Mortality Total Perinatal Neonatal Fetal	Deaths	Rate	Note: These data are be of crash, not of crash, not of the control	residence.  Persons Persons Injured Killed 257 6 54 4  34 0 19 0 13 0 4 1

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average	Charge	TALIZATIONS DI SEASE / AGE GROUP		Per 1,000 Pop	Average Stay (Days)	Average	Charge Per Capi ta
Inium Dalatad	A I I	•	( ) /	3	•	Alaahal Dalatad			( ) /	3	
I nj ury-Rel ated: Total	276	12. 6	4. 5	¢17 O1E	\$226	Al cohol -Rel ated Total	164	7. 5	3. 9	\$7, 519	\$56
10tai <18		12. 0	4. 5	\$17, 915	\$220	18-44	82	13. 4	3. 9 4. 5	\$7, 319 \$7, 205	\$96
< 18 18-44	15 74	12. 0	4. O	\$19, 506	\$235	45-64	62 65	9. 7	4. 5 3. 0	\$7, 205 \$8, 243	\$90 \$80
45-64	62	9. 2	4. 0 4. 4	\$19, 506 \$16, 948	\$235 \$156	Pneumonia and Li		9. 1	3. 0	<b>ФО, 243</b>	\$00
45-64 65+	125	9. 2 24. 9	4. 4 4. 8	\$10, 946 \$17, 744	\$130 \$442	Total	122	5. 6	4. 5	\$11, 079	\$62
Injury: Hip F	ractura	24. 9	4. 0	Φ17, 744	<b>\$44</b> 2	<18	6		4. 3	<b>Φ11, 079</b>	\$02
Total	24	1. 1	6. 0	\$21, 737	\$24	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	27	4. 0	3. 9	\$10, 517	\$42
65+	23	4. 6	6. 1	\$21, 737 \$22, 110	\$24 \$101	45-64 65+	27 87	17. 3	3. 9 4. 9	\$10, 317	\$205
Injury: Poiso		4. 0	0. 1	<b>ΦΖΖ, 110</b>	\$101	Cerebrovascul ar		17.3	4. 9	φ11, 000	\$205
Total	23	1. 1	1. 8	\$6, 042	\$6	Total	105	4. 8	3. 9	\$14, 205	\$68
18-44	23 11	1. 1		Φ0, U4Z	· ·	45-64	105	4. 0	3. 9	\$14, 203	\$00
10-44	11	•	•	•	•	65+	88	17. 5	3. 5	\$12, 261	\$215
Psychi atri c						Chronic Obstruc				\$12,201	<b>ΦΖ1</b> 3
Total	108	4. 9	5. 7	\$7, 500	\$37	Total	58	2.6	3.7	\$8, 709	\$23
<18	108	4. 7	5. 7	\$7,500	<b>Φ3</b> 1	<18	4			<b>ФО, 709</b>	
18-44	49	8. O	4. 1	\$5, 748	\$46	\ \ 10 10 11	5	•	•	•	•
45-64	22	3. 3	5. 4	\$3, 746 \$8, 524	\$40 \$28	18-44 45-64	11		•	•	•
45-64 65+	18			<b>ФО, 324</b>	•	45-64 65+	38	7. 6	3. 9	\$9, 380	\$71
03+	10			•	•	Drug-Rel ated	30	7.0	3. 9	<b>49, 300</b>	Φ/Ι
Coronary Heart	Di coaco					Total	26	1. 2	7. 0	\$8, 409	\$10
Total	276	12. 6	2.0	\$21, 225	\$268	18-44	15	1. ∠		φ0, 407	\$10
45-64	80	11. 9	2. 1	\$20, 747	\$246	10-44	13	•	•	•	•
45-04 65+	180	35. 9	2.4	\$20, 747	\$793	Total Hospitali:	zati one				
03+	100	33. 7	5. 5	ΨZZ, U74	Ψ175	Total	3, 433	156. 8	3. 9	\$12, 598	\$1, 976
Malignant Neopl	asms (Car	ncers).	ΔΙΙ			<18	351	87.8	3. 3	\$6,054	\$531
Total	asiis (Gai 121	5. 5	A 1	\$22, 745	\$126	18_1/1	674	109. 8	3. 2	\$9, 548	\$1, 048
18-44	0	5. 5	0. 1	ΨZZ, 743	Ψ120	18-44 45-64	795	118. 1		\$14, 618	\$1, 726
45-64	121 9 36 76	5. 3	م ا	\$16, 593	\$89	65+	1, 613	321. 6	4. 2	\$14, 301	
65+	76	15. 2	7. J 7. 1	\$25, 733	\$390	051	1,015	321.0	7. 2	ψ14, 501	ΨΨ, Ο//
Neoplasms: Fe	male Brea	ast (ra	ates for	female no	nnulation)	PRI	VENTARI F	HOSPI T	ΔΙΙΖΔΤΙ	ONS*	
Total	14			remare pe		Total	453	20. 7	3. 8	\$9, 430	\$195
Neoplasms: Co		•	•	•	•		32	8. 0	2. 3	\$3, 954	\$32
Total	18					<18 18-44 45-64	45	7. 3	2. 9	\$7, 362	\$52 \$54
65+	14	•	•	•	•	45-64	95	14. 1		\$12, 207	\$172
Neoplasms: Lu		•	•	•	•	65+	281	56. 0	3. 8	\$9, 447	\$529
Total	8	•				001	201	00.0	0.0	Ψ/, ι ι /	Ψ027
Di abetes						* Hospitalizations	for cond	itions	where t	imely and	effectiv
Total	44	2. 0	3. 9	\$12, 753	\$26	ambulatory care ca	n reduce	the lik	el i hood	of hospi	talizatio
65+	15										